

Healthy Schools Network, Inc.

Sanitizers and Disinfectants Guide

© 2001, 2012, 2014



GOOD NEWS

Sanitizers and disinfectants can play an important role in protecting public health. They are designed to kill "pests," including infectious germs and other microganisms such as bacteria, viruses, and fungi.



BAD NEWS

Unfortunately, sanitizers and disinfectants also contain chemicals that are "pesticides." Exposure to persistent toxic chemicals in pesticides can cause serious health problems.

Healthy Schools Network, Inc. recommends schools follow all public health laws and regulations regarding the use of sanitizers and disinfectants in schools and proceed with extreme caution when using any chemicals around children and staff. If the law does not require a chemical use, schools should conduct a thorough analysis of the potential risk of introducing another chemical cleaning product into the school environment.

How 'Toxic' is Toxic?

A chemical is <u>toxic</u> if it can cause harm to humans or the natural environment. Some chemicals are more harmful, depending on how strong they are, and whether or not they are <u>persistent</u>. The <u>US EPA</u> must register <u>sanitizers</u> and <u>disinfectants</u> before they can be placed on the market for sale. Registration, however, does not assure safety. *See glossary, page 4*.

Children Are At Greater Risk

Children are especially vulnerable to toxic chemical exposure. They can be exposed in the following ways:

- Inhalation: Children breathe more air per pound of body weight than adults. Toxic vapors or fumes can cause breathing problems or be absorbed into the bloodstream.
- Skin contact: Children are less able to identify and avoid hazards and have immature systems that may not detoxify
 poisons. Residues from chemicals can damage skin and eyes by burning tissue or be absorbed through the skin and
 carried to body organs.
- **Ingestion:** Children play on the floor or ground, drink or eat chemicals through hand-to-mouth touch, or can lick off a surface, such as a toy or a desktop.
- **Behavior and development:** Children cannot necessarily identify hazards, articulate their health symptoms, or remove themselves from harm's way; this can lead to more exposures.

Sanitizing and Disinfecting in Schools

Requirements

- Federal guidelines recommend schools follow all applicable state and local laws and regulations for proper sanitation and health.
- New York State regulations require sanitizing of foodcontact surfaces, tableware, utensils, and cleaning of nonfood-contact surfaces as necessary. Aside from this, there are no New York laws that require sanitizing or disinfecting in schools. Despite this, some schools apply or misapply sanitizers or disinfectants in other areas in the school building.
- The federal Occupational Safety and Health Administration (OSHA) Bloodborne Pathogen (BBP) regulations recommend a special cleanup strategy (including the use of an EPA-registered disinfectant) to protect employees when Hepatitis-B or HIV-contaminated blood or other bodily fluids may be present. This most often occurs in emergency or first-aid situations. Schools must still follow OSHA/BBP when, for example a fight, playground/sports injury, or illness results in bleeding or vomiting.

2012 Safer Disinfectants Update: The San Francisco Asthma Task Force, an organization founded by the San Francisco Board of Health in 2001 to tackle the asthma epidemic through primary prevention, recommends safer alternatives for sanitizing and disinfecting which are bleach-free and still meet licensing regulations. These products may also be less toxic to children and are less irritating to asthmatic individuals. (http://www.cleaningforhealthyschools.org/documents/SanFran_disinfecting_asthma_factsheet.pdf)

Common-Sense Strategies

- Thorough, routine <u>frictional cleaning</u> of surfaces is an extremely effective strategy for protecting building occupant health.
- The maintenance of healthy and safe buildings is a challenge. Before a school routinely uses sanitizers or disinfectants, these products should be selected carefully and used exactly according to directions to achieve the best possible results, while protecting people—especially children—from harmful chemical exposure.

Commonly Used Sanitizers and Disinfectants

The following chemicals are the <u>active ingredients</u> in many sanitizers and disinfectants. Some products are sold as concentrates, which can be highly toxic and should be used with extreme caution.

- Phenol Compounds or Carbolic Acid: Used mostly in industrial disinfectant products purchased by schools. Fatal poisoning can occur through skin absorption. Ingestion of small amounts may cause vomiting, circulatory collapse, paralysis, convulsions, and coma. Exposure to vapors or fluids commonly causes light sensitivity and sinus congestion. Skin contact can result in severe burns, skin ulcerations, rashes, swelling, pimples, and hives.
- Sodium Hypochlorite Chlorine Bleach: Used in many disinfectant products, especially those designed to remove mold and mildew. Only a limited number of products registered with the US EPA contain sodium hypochlorite. It is a respiratory irritant and can trigger asthma attacks. Chlorine can burn eyes and skin, and if it is mixed with other cleaners such as ammonia, it will produce a deadly gas. When chlorine mixes with other organic materials, it can produce dioxins and furans—the most toxic chemicals known—which are persistent in the environment and bioaccumulate in living tissue.
- Quaternary Ammonia Compounds QUATS:
 When these compounds are properly diluted they are
 non-staining and non-corrosive to most surfaces.
 QUATS are irritating to the eyes and skin and are
 classified as asthmagens. Products using 1% of
 certain QUATS as their active ingredient are
 considered toxic to aquatic life.
- Isopropyl alcohol Isopropanol: This is the most common form of alcohol used for cleaning compounds. It must be at a concentration of 60% to 90% to be effective in killing germs. This is a highly flammable chemical and can burn and irritate the eyes. It is moderately toxic to humans by skin contact; drinking or breathing can cause headaches, dizziness, hallucinations, shortness of breath, nausea, vomiting, and coma.
- Pine Oil: This naturally occurring oil derived from pine trees is considered old technology, but it is still used today. As a disinfectant, it is weak, and an 80% solution (8 quarts of pine oil to 2 quarts of water) would be needed to kill germs. Pine oil contains terpenes that may react with ozone in air to form formaldehyde, which is an asthmagen and known carcinogen. In its pure form, it can cause eye and skin irritation and it is moderately flammable.
- Hydrogen Peroxide: Highly concentrated forms of hydrogen peroxide can be irritating to the eyes and skin.
- Triclosan: An antibacterial and antifungal agent found in consumer products such as soaps and detergents. It can be hazardous at low levels of exposure, and has been linked to cancer-cell growth and disrupted development in animals. It has also been shown to bioaccumulate in human liver and adipose tissue.



GERM REDUCTION AND PESTICIDE EXPOSURE PREVENTION CHECKLIST

1.	Prevention:
	Keep dirt out of the building and under control.
	Clean often and carefully.
	Encourage frequent handwashing among students and staff.
2.	Think carefully before using a disinfecting product:
	Evaluate areas most often touched by people.
	Thoroughly clean these surfaces to remove dirt, spills, finger marks, etc.
	If you choose to use a sanitizing or disinfecting product, follow the directions on the label exactly (see #3 below).
	Do not use toxic products when children are present.
	Remember: a surface must be thoroughly cleaned <i>before</i> a sanitizer or disinfectant is applied; otherwise the product may not be fully effective. Allow time for the sanitizer or disinfectant to dwell on the surface as directed. Then rinse and wipe dry.
	Make sure the area is well ventilated while the product is being used and before the area is reoccupied, especially by children.
3.	Read labels, check Safety Data Sheets (SDS), and ask:
	What is the "active ingredient"?
	Is it designed to kill the target germs or other organisms?
	Is there a safer alternative that will do the job with less risk of toxic exposure?
	Has the staff been trained to use the product in a manner that is protective of children?
	Will it damage the surfaces cleaned with it?
4.	Other tips:
	If using a product from concentrate, make sure it is diluted properly. Measure accurately and use proper equipment.
	Use the smallest amount of the product possible to achieve the intended result.
	Sanitizers and disinfectants should be stored safely and disposed of in an environmentally safe manner.

GLOSSARY

- Microbes Microorganisms such as bacteria, germs, and viruses.
- Active Ingredient The ingredient that kills the target organism.
- Toxic Refers to chemicals that can cause harm to humans or animals.
- **Hazardous** Refers to chemicals that are dangerous.
- **SDS** Safety Data Sheets are the manufacturer's summary of the potential hazards of a product. They include information on health effects, safe use, handling and storage, etc. For more information on SDS, call the Healthy Schools Network.
- Sanitizer A product designed to kill most vegetative bacteria and some fungi and inactivate some viruses. (CDC)
- **Disinfectant** A product designed to eliminate nearly all recognized pathogenic microorganisms on inanimate objects. (CDC)
- Sterilizer A product designed to kill <u>all</u> microbes; for example, in a hospital. (CDC)
- Frictional Cleaning Cleaning while rubbing vigorously.
- **Persistent Toxic Chemical** A chemical that remains in the environment and causes harm to humans and animals.
- **US EPA** United States Environmental Protection Agency.

SOURCES AND RESOURCES

UL-Environment, third-party certifier of environmentally preferable products, including disinfectants, http://site.ul.com/global/eng/pages/offerings/businesses/environment/services/certification/spc/cleaning/

Green Seal, US-based third-party certifier of green products, http://www.greenseal.org/GreenLiving/GreenSchools.aspx#Cleaning

Healthy Schools Network, "Guide to Green Cleaning", http://bealthyschools.org/clearinghouse.html

National Collaborative Work Group on Green Cleaning and Chemical Policy Reform in Schools, information and tool kit for green cleaning in schools, http://www.cleaningforhealthyschools.org/

New York State Office of General Services, green cleaning training materials and resources, http://greencleaning.ny.gov/

New York State Department of Health, "Environmental Cleaning and Disinfection in the School and School Athletics Settings", http://www.health.ny.gov/diseases/communicable/staphylococcus_aureus/methicillin_resistant/community_associated/health_advisory_2008-12-09.htm#environmental

San Francisco Asthma Task Force, updates and resources from the Task Force, http://sfgov.org/asthma/

US Environmental Protection Agency, information and resources on pesticides, http://epa.gov/pesticides/

Centers for Disease Control, guidance on cleaning and disinfecting after an outbreak, http://www.cdc.gov/mrsa/environment/

Connecticut Department of Public Health, Cleaning schools effectively the safe and healthy way, http://www.cleaningforhealthyschools.org/documents/Disinfection_Tips_from_CT_DPH.pdf



HEALTHY SCHOOLS NETWORK, INC.

Tel. (518) 462-0632 Fax (518) 462-0433 www.healthyschools.org

www.cleaningforhealthyschools.org